


MHO WW IS SISSETON-WAHPETON OYATE OF THE NORTHEAST becomes a Queer space
becomes an Indigenous space
becomes a Two Spirit space Every room I walk into CORNER OF SOUTH DAKOTA FOUNDER AND OWNER OF TATE TOPA CONSULTING, LLC MENTAL AND CHEMICAL HEALTH THERAPIST ADVOCATE ven if it's just me in there. MENTOR EDUCATOR AND MOTIVATIONAL SPEAKER DAKOTA SIOUX TWO-SPIRIT "WINKTA" SURVIVOR OF CHILD SEXUAL, PHYSICAL, AND MENTAL ABUSE SURVIVOR OF THE FOSTER CARE SYSTEM




WHAT IS SEXUAL VIOLENCE?

• WHEN A PERSON USES TRICKS, POWER, THREATS, OR VIOLENCE TO HAVE SEXUAL CONTACT WITH ANOTHER ADULT, IT IS CALLED RAPE OR SEXUAL ASSAULT.

• WHEN THE INDIVIDUAL IS A VICTIM OF A RELATIVE, PEOPLE OFTEN USE THE PHRASE "INCEST."

• WHEN THE CHILD IS A VICTIM OF AN ADULT, IT IS CALLED "CHILD MOLESTATION."



TYPES OF SEXUAL ABUSE EXPOSING GENITALS TO THE CHILD AN ADULT SEXUALLY TOUCHING THE CHILD; MALE OR FEMALE MASTURBATION OR OTHERWISE BEING SEXUAL IN FRONT OF THE CHILD HAVING THE CHILD TOUCH THE ADULT SEXUALLY; MALE OR FEMALE VOYEURISM • PHOTOGRAPHING THE CHILD FOR SEXUAL VERBAL AND EMOTIONAL ABUSE OF SEXUAL **PURPOSES NATURE** SEXUALIZED TALK ENGAGING THE CHILD IN PROSTITUTION SHOWING THE CHILD PORNOGRAPHIC WITNESSING OTHERS BEING SEXUALLY **ABUSED** MATERIAL OR MAKING THEM AVAILABLE



A CHILD IS AFFECTED BY SEXUAL ABUSE WHEN

HE MAY QUESTION HIS ABILITY TO DEFEND HIMSELF OR MAY NOT TRUST HIS BODY TO FUNCTION IN TIMES OF CRISIS.

HE MAY QUESTION HIS BODY AND SAY "WHAT DID I DO TO INVITE THIS?"

HE MAY BEGIN TO HATE HIS BODY.

HE MAY BEGIN TO NOT RESPECT HIS BODY OR THE SURROUNDINGS AROUND HIM; OFTEN WILL BEGIN TO USE ALCOHOL, DRUGS, OVER-UNDER EATING, AND SMOKING AS A TEEN.

A CHILD IS AFFECTED BY SEXUAL ABUSE WHEN

- Dissociates as a child due to memories or reminders of abuse.
- Even after the abuse stops the child may feel he is ineffective, powerless, and worthless (He has learned from being abused that what he does, wants, feels, or thinks makes no difference).
- He will continue to question himself "Why did this happen?" "Why didn't anyone stop it?" "Why didn't I tell someone?"





9


A CHILD IS AFFECTED BY SEXUAL ABUSE WHEN


- A BOY FACES CONFUSION AND ISOLATION WHEN HE IS SEXUALLY ABUSED BY A WOMAN.
- A BOY WHO TALKS ABOUT BEING ABUSED BY A WOMAN IS OFTEN GREETED BY DISBELIEF, DENIAL, TRIVIALIZING, AND ROMANCING HIS STORY. FACED WITH SOCIETY'S PERCEPTION; HE MAY TRY TO FIT IN AND BEGINS TO BRAG OR JOKE ABOUT IT.
- IF ANY OF THE EXPERIENCE FELT GOOD, HE WAS NOT ABUSED. IF HE DID NOT ENJOY IT, HE MUST BE HOMOSEXUAL.













WHY DO MEN WAIT TO SEEK PROFESSIONAL HELP?

THE ABUSE COULD STILL BE TOO FRESH.

IT MAY NOT YET BEEN DEFINED AS ABUSE.

THE PERPETRATOR MAY STILL GOT YOU "TO KEEP SILENT."

FEAR (EVEN THOUGH THE ABUSE MAY BE OVER, IT CAN STILL FEEL DANGEROUS; EVEN A DEAD PERPETRATOR'S PRESENCE CAN BE FELT STRONGLY).

THE TIME AND PLACE MAY NOT BE RIGHT TO DISCLOSE.

THE INDIVIDUAL MAY NOT KNOW HE HAS OPTIONS.

FEELINGS OF BEING WEAK, BATTERED, AND HOPELESS TO TAKE ACTION.

SELF-BLAME (MAY KEEP INDIVIDUAL FROM SEEKING PROFESSIONAL HELP).

SHAME (WHY DID THIS HAPPEN TO ME?)

MEN WHO ARE VIOLENT ARE OFTEN SENT THE MESSAGE AS A CHILD:

- BE STRONG
- BE SEXUALLY ACTIVE
- BE STRAIGHT
- BE INDEPENDENT
- DON'T ASK FOR HELP
- DON'T CRY AND SHOW VULNERABILITY
- TAKE CONTROL
- BE DOMINANT

17

FREQUENT ISSUES AND PROBLEMS FACED BY ADULT SURVIVORS OF SEXUAL CHILD ABUSE ANXIETY AND/OR CONFUSION COMPULSIVE CARETAKING • DEPRESSION NIGHTMARES AND FLASHBACKS INSOMNIA LOW SELF-ESTEEM AMNESIA (MEMORY LOSS OR FORGETTING LARGE SHAME AND GUILT PIECES OF CHILDHOOD) INABILITY TO TRUST THEMSELVES OR OTHERS VIOLENCE; OR FEAR OF VIOLENCE • FEAR OF FEELINGS (A NEED TO CONTROL DISCOMFORT WITH BEING TOUCHED FEELINGS AND BEHAVIORS, THEIR OWN OR OTHERS) COMPULSIVE SEXUAL ACTIVITY SEXUAL DYSFUNCTION

FREQUENT ISSUES AND PROBLEMS FACED BY ADULT SURVIVORS OF SEXUAL CHILD ABUSE

- HYPERVIGILANCE; EXTREME STARTLE RESPONSE
- SOCIAL ALIENATION (FEELING ISOLATED OR ALONE)
- INABILITY TO SUSTAIN INTIMACY IN RELATIONSHIPS AND/OR ENTERING ABUSIVE RELATIONSHIPS
- OVERACHIEVEMENT AND/OR UNDERACHIEVEMENT

- AS ADULTS, BECOMING ABUSERS AND/OR PROTECTORS
- ALCOHOL/DRUG ABUSE
- SEX ADDICTION
- COMPULSIVE BEHAVIORS
- UNREALISTIC AND NEGATIVE BODY IMAGE
- FEELING LIKE A FRIGHTENED CHILD
- HYPERCONSCIOUSNESS OF BODY AND APPEARANCE

19

MOST COMMON MENTAL HEALTH DISORDERS

- DYSTHYMIA; A CHRONIC DEPRESSED MOOD
- MAJOR DEPRESSION; MUCH MORE SEVERE THAN DYSTHYMIA
- POST-TRAUMATIC STRESS DISORDER (PTSD); DISTRESSING THOUGHTS AND DREAMS OF THE
 ABUSE, FLASHBACKS, AVOIDS THOUGHTS, FEELINGS, AND SITUATIONS ASSOCIATED WITH
 ABUSE, A SENSE OF DETACHMENT FROM OTHERS, SLEEP DISTURBANCES, OUTBURSTS, AND
 OVERLY VIGILANT FOR SIGNS OF DANGER.



